



Panda®

Simply Powerful.

PANDA® Steamer Series

High-Speed Steamer Cabinet

GAS APPLIANCES





High-Speed Steam Cabinet

PANDA® High-speed Steam Cabinet has the characteristics of low noise, high thermal efficiency, energy saving, superior performance, less harmful substances in the exhaust gas, safe, reliable, clean and hygienic.

From freshly made dim sum to perfectly cook seafood, this three compartmented steamer cabinet, will easily handle many kinds of product while delivering on the same high standard.



Powerful yet, **Incredibly quiet**

Up to 4 Torch Burner that constantly provide up to 100.000 btu/hour make this steamer blazingly fast heating.

With PANDA® unique heat exchanger design makes the steamer super quiet but yet powerful.

1 1/4" Gas Connection

This unit comes with a 1 1/4" gas connection to be installed by a professional.

1/1" Water Outlet

1" Water inlet



Independently controlled

Operate efficiently by using just one compartment when that's all that's needed, or all for maximum output. Its flexibility boosts your productivity.




Safe Open Door **Door System**

All Compartment doors are equip with Smart Open System to prevent high pressure heat injuries for safety purposes.



Energy Efficiency

Equipped with steam On/Off valve allows you to easily select the desired steam outputs, such as fast steaming, slow steaming and keep warm



Auto Reload

The unit features Auto Reload which will automatically maintain the proper water level in the steam tank and ensures constant steam production



Reliably safe

Flame-failure protection will shut the gas off that prevents accidents caused by gas leak to ensure safety.



ETL US


This item meets the electrical product safety standards imposed by the ETL, a division of the Intertek Group, for use in the United States.





ETL Sanitation


This item meets the sanitation standards imposed by the ETL, a division of the Intertek Group.


Product Dimensions














35

PANDA® Steamer Series

High-Speed Steam Cabinet

MODEL	DIMENSION (IN)			WEIGH (LBC)	TORCH BURNER	TOTAL
	W	D	Н	WEIGH (LBS)	TORCH BURNER	BTU/HR
D-HKSMG-CB24B	24	35	75	400	2	100,000
PD-HKSMG-CB30B	30	35	75	450	2	100,000
PD-HKSMG-CB36B	36	35	75	510	3	150,000
PD-HKSMG-CB48B	48	35	75	600	4	200,000
PD-HKSMG-CB54B	54	35	75	700	4	200,000



www.ltusa.net www.tpgroupusa.usa

marketing@tpgroupusa.com marketing@ltusa.com

62 Allen St New York, NY 10002

T | +1 212-619-2178

F | +1 212-966-9184

134-38 33rd Ave Flushing, NY 11354

T | +1 718.886.9778 F | +1 646.357.3694